

ANNUAL BLANKET

COUNTY OF SAN LUIS OBISPO • DEPT. OF PUBLIC WORKS TRANSPORTATION PERMIT IN COMPLIANCE WITH YOUR REQUEST AND SUBJECT TO ALL THE TERMS, CONDITIONS AND RESTRICTIONS WRITTEN BELOW AND THE ATTACHMENTS, PERMISSION IS HEREBY GRANTED TO: <hr/> NAME _____ <hr/> ADDRESS _____ <hr/> CITY/STATE/ZIP _____ <hr/> OFFICE PHONE (Include Area Code) _____ FAX NUMBER _____ <hr/> (SHOW A DESCRIPTION OF THE LOAD OR EQUIPMENT AND MODEL NO. - INCLUDE DIMENSIONS OF LOAD) Authorization is granted for the following: <input type="checkbox"/> Haul <input type="checkbox"/> Drive <input type="checkbox"/> Tow				PERMIT VALID FROM: TO: MOVING AUTHORIZED: SATURDAY: SEE SUNDAY: SPECIAL CONDITIONS DARKNESS (CVC 280):		PERMIT NUMBER This permit is not valid without the following attachments: <input type="checkbox"/> Permit Conditions <input type="checkbox"/> Road List <input type="checkbox"/> _____ <input type="checkbox"/> _____ <input type="checkbox"/> _____ <input type="checkbox"/> _____			
AN EXTRA LEGAL LOAD AS DEFINED IN SECTION 320.5 OF THE CALIFORNIA VEHICLE CODE.									
DESCRIPTION OF HAULING EQUIPMENT:									
VEHICLE HEIGHT:		VEHICLE WIDTH:		KINGPIN TO LAST AXLE: 40' MAX		COMB. VEHICLE LENGTH:		LEGAL	
AXLE NUMBER	1	2	3	4	5	6	7	8	9
NUMBER OF TIRES PER AXLE									
DISTANCE BETWEEN AXLES									
WIDTH OF AXLES AT TIRE SIDEWALL									
MAXIMUM ALLOWABLE WEIGHT									
LOADED DIMENSIONS GREATER THAN THOSE SHOWN BELOW OR WEIGHTS EXCEEDING THOSE SHOWN ABOVE ARE NOT AUTHORIZED									
LOADED HEIGHT:	LOADED WIDTH:	LOADED OVERALL LENGTH:			LOADED OVERHANG:		WEIGHT CLASS:		
ORIGIN: VARIOUS					DESTINATION: VARIOUS				
AUTHORIZED HIGHWAYS - CITY AND/OR STATE PERMITS ARE REQUIRED WHEREVER THE * IS SHOWN IN THE ROUTE.									
ALL COUNTY ROADS EXCEPT WHERE ROAD OR STRUCTURE IS POSTED TO PROHIBIT LOAD.									
PILOT CAR <input type="checkbox"/> Yes <input type="checkbox"/> No PILOT CARS ARE REQUIRED BASED ON THE LOAD WIDTH AND ROAD AS LISTED ON THE ATTACHED SHEET.									
WIDE LOAD SIGNS ARE REQUIRED ON ALL LOADS GREATER THAN 10 (TEN) FEET WIDE. WHEN A PILOT CAR IS REQUIRED, MOVING IS NOT AUTHORIZED ON WEEKENDS OR BETWEEN SUNSET AND SUNRISE.									
DRIVER RESPONSIBLE FOR OVERHEAD OBSTRUCTIONS.									
FEE \$90.00		APPLICANT SIGNATURE					DATE		
NUMBER OF TRIPS MULTI		PERMIT ENGINEER					DATE		
REQUESTED ROUTE: (Include Address of Origin and Delivery Site)									
						CONTACT PERSON			

V:\ADM_SERVSTORED\TRANSPOR-AnnualBlanket.PMT

PERMITS (805) 781-5252

FAX (805) 781-1330

COUNTY OF SAN LUIS OBISPO, DEPT. OF PUBLIC WORKS
 Rm. 207, County Government Center, San Luis Obispo, CA 93408

COUNTY OF SAN LUIS OBISPO • DEPT. OF PUBLIC WORKS TRANSPORTATION PERMIT					PERMIT VALID FROM: TO: MOVING AUTHORIZED: SATURDAY: SUNDAY: DARKNESS (CVC 280):					PERMIT NUMBER This permit is not valid without the following attachments: <input type="checkbox"/> Permit Conditions <input type="checkbox"/> Road List <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				
IN COMPLIANCE WITH YOUR REQUEST AND SUBJECT TO ALL THE TERMS, CONDITIONS AND RESTRICTIONS WRITTEN BELOW AND THE ATTACHMENTS, PERMISSION IS HEREBY GRANTED TO: NAME _____ ADDRESS _____ CITY/STATE/ZIP _____ OFFICE PHONE (Include Area Code) _____ FAX NUMBER _____ (SHOW A DESCRIPTION OF THE LOAD OR EQUIPMENT AND MODEL NO. - INCLUDE DIMENSIONS OF LOAD) Authorization is granted for the following: <input type="checkbox"/> Haul <input type="checkbox"/> Drive <input type="checkbox"/> Tow														
AN EXTRA LEGAL LOAD AS DEFINED IN SECTION 320.5 OF THE CALIFORNIA VEHICLE CODE.														
DESCRIPTION OF HAULING EQUIPMENT:														
			VEHICLE WIDTH:			KINGPIN TO LAST AXLE:			COMB. VEHICLE LENGTH:					
AXLE NUMBER	1	2	3	4	5	6	7	8	9					
NUMBER OF TIRES PER AXLE														
DISTANCE BETWEEN AXLES														
WIDTH OF AXLES AT TIRE SIDEWALL														
MAXIMUM ALLOWABLE WEIGHT														
LOADED DIMENSIONS GREATER THAN THOSE SHOWN BELOW OR WEIGHTS EXCEEDING THOSE SHOWN ABOVE ARE NOT AUTHORIZED														
LOADED HEIGHT:	LOADED WIDTH:	LOADED OVERALL LENGTH:			LOADED OVERHANG:			WEIGHT CLASS:						
ORIGIN:					DESTINATION:									
AUTHORIZED HIGHWAYS - CITY AND/OR STATE PERMITS ARE REQUIRED WHEREVER THE ★ IS SHOWN IN THE STATE ROUTE.														
PILOT CAR <input type="checkbox"/> Yes <input type="checkbox"/> No														
FEE	APPLICANT SIGNATURE							DATE						
NUMBER OF TRIPS	PERMIT ENGINEER							DATE						
REQUESTED ROUTE: (Include Address of Origin and Delivery Site)														
							CONTACT PERSON							

V:\ADM_SERVSTORED\TRANSPOR 2.PMT

GENERAL PROVISIONS

1. Safety of Other Traffic. Permittee shall at all times give strict attention to the safety and rights of the traveling public.
2. Yield Right of Way. When being passed by vehicles traveling in either direction, no portion of equipment or trailers shall extend beyond the center line of pavement or traveled way.
3. Protection on Bridges or Narrow Roads. When crossing bridges or on roads so narrow that it is impossible to comply with paragraph 2, one man shall be posted behind and one man ahead of such equipment to warn and direct traffic.
4. Protect Asphaltic Pavements. Whenever heavy equipment with steel tires or a structure is to be moved over asphaltic type pavement between May 1st and October 1st, it is to be moved before 9 A.M. or after 5 P.M.
5. Night Moving. No night moving allowed unless specifically so stated on the face hereof. If any moving is done at night, necessary warning lights must be displayed and flagmen employed in such manner as to thoroughly protect traffic in either direction.
6. Moving in Foggy or Rainy Weather. No moving shall be done in foggy or rainy weather either day or night except on special authorization.
7. Parking on Highway. If necessary to park equipment or to leave a structure on the highway at night, it shall be moved off the traveled way or pavement so as to interfere in no way with passing traffic. Warning lights shall be displayed so as to fully protect said traffic.
8. No Moving During Heavy Traffic. Equipment or structures covered by this permit shall not be moved over the highways on Saturdays, Sundays or holidays, unless specifically so stated on the face hereof.
9. Responsibility for Bridges. This permit does not authorize crossing any posted bridges with gross load exceeding posted limits unless specifically mentioned on the face of this permit. Permittee shall comply with all rules posted on any bridges over which he shall pass and shall assume all risks relative thereto. When a power shovel or similar equipment is moved under its own power across bridges having asphalt type surface, running planks or heavy belting of sufficient width must be used under the tracks to protect the surfacing.
10. Overhead Clearance. When height of load exceeds 13'6", it becomes the responsibility of the permittee to check all underpasses, bridges, overhead wires or other structures for impaired vertical clearance and to bypass or arrange clearance at such locations.
11. Load Width. 12 foot to 13 foot 11 inches requires two pilot cars. 14 foot or wider requires two pilot cars and a CHP escort. Some pilot car and CHP escort requirements may vary due to roadway conditions. These requirements will be determined by the San Luis Obispo County Permit Engineer.
12. Permit Subject to Inspection. The permit must be carried on the equipment or structure at all times while it is being moved within the highway limits. It shall be submitted for inspection on demand of an authorized employee of the County Engineering Department or of any law enforcement officer.
13. Repair of Damage. In accepting this permit, the Permittee agrees to repair at his own expense and to the satisfaction of the County Engineer, any damage to the highway or structures. Work of repair may be done by Road Division forces at the option of the County Engineer. The cost is to be borne by the Permittee.
14. Liability for Damages. The Permittee is responsible for all liability for personal injury or property damage which may occur through any act or omission of Permittee when acting under this permit, and in the event any claim is made against the County of San Luis Obispo or any department officer, or employee thereof, through, by reason of, or in connection with any such act or omission, Permittee shall defend, indemnify and hold them and each of them harmless from such claim. This permit shall not be effective for any purpose unless and until the above named Permittee files with the County Engineering Department, a surety bond in the form and amount required by said department, unless specifically exempted on the face hereof.
15. Time Limit. Unless specifically stated on the face hereof this permit is good for only one trip between the points designated.
16. Comply with Applicable Laws. Except as specifically provided herein, the requirements of the Vehicle Code and any other applicable laws must be complied within all particulars.
17. Limit of Authorization. This permit only covers portions of move on County highways under maintenance by the County of San Luis Obispo. State and/or City permits must be secured for travel on roads and streets under respective jurisdiction.
18. Acceptance of Permit. The moving of any load or the doing of any work on the highway in accordance with this permit shall be regarded as an acceptance by Permittee of all terms and conditions of the permit.

SPECIAL PROVISIONS

TRACTORS

19. Wheel Type Tractors. All lugs, cleats, flanges or projections shall be removed or road bands installed before operating on any pavement or gravel surface.

20. Track Layer Type Tractor. If the tread of the track has projections or corrugations, a filler block shall be placed on each section so that a flat bearing surface will be in contact with the pavement.

21. Pilot Wheel. If equipped with a pilot wheel, the ring of the same shall be removed, covered or supplemented by additional rings such that the width of bearing surface shall not be less than five inches.

22. Weight per Inch Width. The blocks, road bands or rings shall be of sufficient width to furnish a flat bearing, such that the weight per inch width of tread shall not exceed five hundred pounds.

23. Crossing Traveled Way. If the equipment is simply to cross from one side of the road to the other, the pavement and shoulders may be covered with planks at least 2 inches thick, or by use of heavy belting of sufficient width, and the equipment permitted to pass thereover without the placing of filler blocks or road bands. Permit is not required for farm tractors with plane tread or equipped with filler blocks.

24. Trailers. Not more than two trailers shall be moved over the highway at any one time behind the equipment.

25. Projections on Trailer Treads. Any projection on the tread of trailers shall be removed or protected as for tractors.

26. Towing Farm Implements. When farm implements are being towed the paragraphs above shall govern where they apply.

27. Turning Tractors. In turning on or off the highway, special care shall be taken to so handle the equipment that the edge of the pavement will not be broken and the shoulders will not be cut up.

28. Use Care in Trailing Plows, etc. In trailing plows, discs and similar equipment, care shall be used that the implements do not cut or damage the road surface.

WEIGHT AND SIZE OF LOADS

29. Limit of Load. The weight or size of load shall be within the limit stated on the face of this permit.

30. Maximum Weight and Size. The maximum limits for weight and size of vehicles and loads set forth in the Vehicle Code shall not be exceeded except as specifically stated on the face of this permit.

BUILDING AND OTHER STRUCTURES

31. Kind of Equipment. Buildings are to be moved with regular house moving equipment.

32. Interference with Traffic. The moving shall be done at the time of day and in a manner which will cause the least interference with traffic.

33. Cleaning Up Right of Way. Upon completion of the moving work, all timbers and equipment shall be removed and the right-of-way left in the same conditions as before the work started.

34. Do Not Disturb Roadway Surface. No wedge, bar or spike shall be driven in the surface of the County highway.

35. Care of Trees. No tress shall be cut, trimmed, used for attaching cables or in any way disturbed.

36. Care of Overhead Lines. Permittee must notify the owner of all overhead lines subject to disturbance or damage by his operations at least 24 hours in advance of such work and mutually agreeable arrangements shall be made between the parties affected. (This provision does not authorize owners of overhead lines to limit work allowed under this permit.)